Abecasis, G. R.

see Zhang, W. et al.

ABO locus. Sequence variation at the human, 1

acetylglucosamine. Identification of human phosphoglucomutase 3 (PGM_3) as N-...-phosphate mutase (AGM_1) , 139

ACP1 gene. Identification of two SNPs in the 5' flanking region of the ... and evaluation of disequilibrium among polymorphic sites, 254

Adinolfi, M.

review of *The Genetics and Biology of Sex Determination*, by Novartis Foundation Symposium No.244, 329

Africa, Bantu and European Y-lineages in Sub-Saharan, 369

allele frequency estimations. Identification of the sources of error in ... from pooled DNA indicates an optimal experimental design, 393

allelic association. Mapping quantitative effects of oligogenes by, 211

Alves. C.

see Pereira. L. et al.

Amorim. A

see Azevedo. L. et al.

Amorim, A.

see Brehm, A. et al.

Amorim. A.

see Pereira, L. et al.

Amos. C. I.

see Gorlova, O. et al.

apolipoprotein. Genetic and environmental determinants of plasma high density lipoprotein cholesterol and ... AI concentrations in healthy middle-aged men, 111

association analysis for quantitative traits by data mining: QHPM, 419

association studies. Accurate power approximations for χ^2 -tests in case-control ... of complex disease genes. 307

association tests. Robust TDT-type candidate-gene. 145 Azevedo, L., Calafell, F., Vilarinho, L. & Amorim, A. haplotype analysis and phylogeny of Ornithine Transcarbamylase polymorphisms. 379

Bandelt, H. J.

see Brehm, A. et al.

Bantu and European Y-lineages in Sub-Saharan Africa, 369

Barratt, B. J., Payne, F., Rance, H. E., Nutland, S., Todd, J. A. & Clayton, D. G.

identification of the sources of error in allele frequency estimations from pooled DNA indicates an optimal experimental design, 393

Barros, F.

see Vega, A. et al.

Bau, C. H. D.

see Bortolini, M. C. et al.

Boerwinkle, E.

see Gorlova, O. et al.

Bedova, G.

see Bortolini, M. C. et al.

Benazzi, E.,

see Martinetti, M. et al.

Bernardinelli, L.

see Martinetti, M. et al.

Bidzinski, M.

see Plisiecka-Halasa, J. et al.

Blaveri, E.

see Curtis. D. et al.

bone mineral density/content. Evidence for a major gene for...in human pedigrees identified via probands with extreme bone mineral density, 61

Borgiani, P.

see Faggioni, G. et al.

Bortolini, M. C., Salzano, F. M., Bau, C. H. D., Layrisse, Z., Petzl-Erler, M. L., Tsuneto, L. T., Hill, K., Hurtado, A. M., Castro-De-Guerra, D., Bedoya, G., & Ruiz-Linares, A.

Y-chromosome biallelic polymorphisms and Native American population structure, 255

Bottini. E.

see Faggioni, G. et al.

Bottini, X

see Faggioni, G. et al.

Bourgain, C., Genin, E., Ober, C. & Clerget-Darpoux, F. missing data in haplotype analysis: a study on the MHC method, 99

Braegger, C. P.

see Popat. S. et al.

BRCA1 and BRCA2. Analysis of ... in breast and breast/ ovarian cancer families shows population substructure in the Iberian peninsula, 29

Brehm, A., Pereira, L., Bandelt, H. J., Prata, M. J. & Amorim, A.

mitochondrial portrait of the Cabo Verde Archipelago: the Senegambian outpost of Atlantic Slave Trade,

see Spinola, H. et al.

Cabo Verde. Distribution of HLA alleles in Portugal and Relationships with the slave trade route, 285

Cabo Verde Archipelago. Mitochondrial portrait of the...: the Senegambian outpost of Atlantic Slave Trade, 49

case-control samples. A quick and simple method for detecting subjects with abnormal genetic background in, 235

Calafell, F.

see Azevedo. L. et al.

cancer. Analysis of BRCA1 and BRCA2 in breast and breast/ovarian... families shows population substructure in the Iberian peninsula, 29

Cardon, L. R.

see Zhang. W. et al.

Carracedo. A.

see Vega, A. et al.

Carpanelli, R.

see Martinetti, M. et al.

Castellani. L.

see Martinetti. M. et al.

- Castro-De-Guerra, D.
 - see Bortolini. M. C. et al.
- Cenzuales, S.
 - see Martinetti, M. et al.
- Chakrabarti, C.S., Roy, M., Sengupta, N. K., Lalthantluanga, R. & Majumder, P. P.
 - genetic relationships among some tribal groups inhabiting the north-eastern, eastern and sub-Himalayan regions of India, 361
- χ^2 -tests. Accurate power approximations for... in casecontrol association studies of complex disease genes,
- chromosomes 21 and 22. Recombination, interference and sequence: comparison of, 75
- Clayton. D. G.
- see Barratt, B. J. et al.
- Clerget-Darpoux. F.
- see Bourgain, C. et al.
- coeliac disease. Variation in the CTLA4/CD28 gene region confers an increased risk of, 125
- coeliac disease. Genetic dissection between... and dermatitis herpetiformis in sib pairs, 387
- Collin. P.
 - see Karell. K. et al.
- Collins. A.
 - see Tapper, W. J. et al.
 - see Zhang. W. et al.
- Conway, T
 - see Deng, H. V. et al.
- Contreas, V
 - see Faggioni, G. et al.
- Cooper, J.
 - see Humphries, S. E. et al.
- coronary heart disease. Interaction between smoking and the stromelysin-1 (MMP3) gene 5A/6A promoter polymorphism and risk of ... in healthy men, 343
- CTLA4/CD28 gene region. Variation in the ... confers an increased risk of coeliac disease, 125
- Curtis, D., North, B. V. & Sham, P. C.
- extension of conditional model-free likelihood-based linkage analysis to additive and other models, 157
- Curtis, D., North, B. V., Gurling, H. M. D., Blaveri, E. & Sham, P. C.
 - a quick and simple method for detecting subjects with abnormal genetic background in case-control samples, 235
- Czarny, J.
- see Malyarhcuk, B. A. et al.
- D'Aronzo, A. M.
 - see Martinetti. M. et al.
- Dansonka-Mieszkowska, A.
- see Plisiecka-Halasa, J. et al.
- Davies, K. M.
- see Deng, H. V. et al.
- De Biase, U.
- see Martinetti, M. et al.
- De Filippo. C.
 - see Martinetti. M. et al.
- Degioanni, A
 - see Martinetti, M. et al.
- De Giuli. A.
- see Martinetti, M. et al.
- Dellaire, G. see Ladomery, M. et al.

- Deng. H
- see Deng. H. V. et al.
- Deng. H. V., Livshits, G., Yakovenko, K., Xu, F. H.,
 - Conway, T., Davies, K. M., Deng, H. & Recker, R. evidence for a major gene for bone mineral density/ content in human pedigrees identified via probands with extreme bone mineral density, 61
- Derenko, M. V
- see Malyarchuk, B. A. et al.
- dermatitis herpetiformis. Genetic dissection between coeliac disease and ... in sib pairs, 387
- diplotype distribution. Determination of probability distribution of diplotype configuration(...)for each subject from genotypic data using the EM algorithm,
- disequilibrium. Identification of two SNPs in the 5' flanking region of the ACP1 gene and evaluation of ... among polymorphic sites, 254
- Dunning, A. M.
 - see Teare. M. D. et al.
- Durocher, F.
 - see Teare. M. D. et al.
- Easton, D. F.
 - see Teare. M. D. et al.
- EM algorithm. Determination of probability distribution of diplotype configuration (diplotype distribution) for each subject from genotypic data using the, 183
- Escary, J. L.
- see Jackson. M. R. et al.
- European, Bantu and Y-lineages in Sub-Saharan Africa,
- Faggioni, G., Borgiani, P., Bottini, N., Gloria-Bottini, F., Tontoli, F., Contreas, V., Bottini, E. & Lista, F.
 - identification of two SNPs in the 5' flanking region of the ACP1 gene and evaluation of disequilibrium among polymorphic sites, 254
- Fare. M.
- see Martinetti, M. et al.
- Falth-Magnusson, K.
- see Popat, S. et al.
- Ferrioli, G.
- see Martinetti, M. et al.
- Friedlin, B.
- see Zheng, G. et al.
- Galvani, G.
 - see Martinetti, M. et al.
- Gastwirth, J. L.
- see Zheng. G. et al.
- Genin, E.
- see Bourgain, C. et al.
- Genin. E.
- see Jackson, M. R. et al.
- Gerosa, A.
- see Martinetti, M. et al.
- Ghosh, S. and Reich, T.
 - integrating sibship data for mapping quantitative trait loci. 167-180,
- Ghosh, S., Reich, T. & Majumder, P. P.
- linkage mapping of quantitative trait loci in humans: an overview, 431
- Gloria-Bottini, F
 - see Faggioni, G. et al.

- Gorlova, O., Amos, C. I., Zhu, D. K., Wang, W., Turner, S. & Boerwinkle, E.,
- power of a simplified multivariate test for genetic linkage, 407
- Grzybowski, T
- see Malyarhcuk, B. A. et al.
- Gurling, H. M. D.
- see Curtis, D. et al.
- Gusmao, L.
 - see Pereira, L. et al.
- haplotype analysis and phylogeny of Ornithine Transcarbamylase polymorphisms, 379
- haplotype analysis. Missing data in . . . : a study on the MILC method, 99
- Hawe, E.
- see Talmud, P. J. et al.
- Hearle, N.
 - see Popat, S. et al.
- Hill K
- see Bortolini, M. C. et al.
- HLA alleles. Distribution of ... in Portugal and Cabo Verde. Relationships with the slave trade route, 285
 - see Popat, S. et al.
- Holmes, G. K. T.
- see Popat, S. et al.
- Holopainen, K.
 - see Karell. K. et al.
- Howdle, P. D.
- see Popat, S. et al.
- Houlston, R. S.
- see Popat, S. et al.
- Humphries, S. E.
- see Talmud, P. J. et al.
- Humphries, S. E., Martin, S., Cooper, J. & Miller, G. J. interaction between smoking and the stromelysin-1 (MMP3) gene 5A/6A promoter polymorphism and risk of coronary heart disease in healthy men, 343
- Hurtado, A. M.
- see Bortolini, M. C. et al.
- Iberian peninsula. Analysis of BRCA1 and BRCA2 in breast and breast/ovarian cancer families shows population substructure in the, 29
- identical by descent. The probability that similar haplotypes are, 195
- Hes, M. M.
 - on calculating the power of a TDT study comparison of methods. 323
- immunogenetic. An...map of Lombardy (Northern Italy), 37
- India. Genetic relationships among some tribal groups inhabiting the north-eastern, eastern and sub-Himalayan regions of, 361
- Jackson, M. R., Genin, E., Knapp, M. & Escary, J. L. accurate power approximations for χ²-tests in casecontrol association studies of complex disease genes, 207
- Jenkins, H.
- see Popat, S. et al.
- Jesus, J.
 - see Spinola, H. et al.

- Jewell, D. P.
 - see Popat, S. et al.
- Johnston, S.
 - see Popat, S. et al.
- Kamatani, N.
- see Kitamura, Y. et al.
- Kaneko, H.
 - see Kitamura, Y. et al.
- Karell, K., Korponay-Szabo, I., Szalai, ZS., Holopainen, K., Mustalahti, P., Collin, P., Maki, M. & Partanen,
 - genetic dissection between coeliac disease and dermatitis herpetiformis in sib pairs, 387
- Ke, X
 - see Tapper, W. J. et al.
- Kennedy, N. P.
 - see Popat, S. et al.
- Kere, J.
- see Onkamo, P. et al.
- Kimura, H
- see Popat, S. et al.
- Kitamura, Y., Moriguchi, M., Kaneko, H., Morisaki, H., Morisaki, T., Toyama, K. & Kamatani, N.
- determination of probability distribution of diplotype configuration (diplotype distribution) for each subject from genotypic data using the EM algorithm. 183
- Knapp, M
- see Jackson. M. R. et al.
- Koda, Y
- see Pang, H. et al.
- Korponay-Szabo, I.
- see Karell, K. et al.
- Kumar, P. J.
- see Popat, S. et al.
- Kupryjanczyk, J.
 - see Plisiecka-Halasa, J. et al.
- Ladomery, M. & Dellaire, G.
 - multifunctional zinc finger proteins in development and disease, 331
- Lalthantluanga. R.
 - see Chakrabarti, C. S. et al.
- Lavrisse, Z.
- see Bortolini, M. C. et al.
- linkage. Power of a simplified multivariate test for genetic, 407
- linkage analysis. Extension of conditional model-free likelihood-based...to additive and other models,
- linkage disequilibrium. The expected power of genomewide ... testing using single nucleotide polymorphism markers for detecting a low-frequency disease variant, 297
- linkage disequilibrium measures. Sampling distribution of, 223
- linkage mapping \dots of quantitative trait loci in humans: an overview, 431
- linkage tournament. A...: affection status, parametric analysis, multivariate traits, and enhancements to variance components and relative pairs, 87
- lipoprotein. Genetic and environmental determinants of plasma high density...cholesterol and apolipoprotein AI concentrations in healthy middle-aged men, 111

Lista, F.

see Faggioni, G. et al.

Livshits, G.

see Deng. H. V. et al.

Logan, R. F. A.

see Popat. S. et al.

Lombardo, C.

see Martinetti, M. et al.

Lombardy. An immugenetic map of ... (Northern Italy), 37

Lonjou, C.

see Zhang, W. et al.

Majumder, P. P.

see Chakrabarti, C. S. et al.

Majumder, P. P.

see Ghosh, S. et al.

Maki, M.

see Karell, K. et al.

Malagoli, A.

see Martinetti, M. et al.

Malyarhcuk, B. A., Grzybowski, T., Derenko, M. V., Czarny, J., Wozniak, M. & Miscicka-Sliwka, D. mitochondrial DNA variability in Poles and Russians,

Mannila, H

see Onkamo, P. et al.

Marchesi, S.

see Martinetti, M. et al.

Marsh, M. N.

see Popat, S. et al.

Martin, S.

see Humphries, S. E. et al.

Martinetti, M., Degioanni, A., D'Aronzo, A. M., Benazzi,
E., Carpanelli, R., Castellani, L., Cenzuales, S., De
Biase, U., De Filippo, C., De Giuli, A., Gerosa, A.,
Fare, M., Ferrioli, G., Galvani, G., Lombardo, C.,
Malagoli, A., Marchesi, S., Mascaretti, L., Motta, F.,
Poli, F., Rinaldini, C., Rizzoli, L., Pascutto, C.,
Bernardinelli, L. & Salvaneschi, L.

an immunogenetic map of Lombardy (Northern Italy), 37

Martinez, J. I.

see Vega, A. et al.

Mascaretti, L.,

see Martinetti, M. et al.

Middleton, D.

see Spinola, H. et al.

MILC method. Missing data in haplotype analysis: a study on the, 99

Miller, G. J.

see Humphries, S. E. et al.

Miller, G. J

see Talmud, P. J. et al.

Miller, N. E.

iller, N. E.

see Talmud, P. J. et al.

Miscicka-Sliwka, D.

see Malyarhcuk, B. A. et al. mitochondrial portrait of the Cabo Verde Archipelago: the Senegambian outpost of Atlantic Slave Trade.

mitochondrial DNA variability in Poles and Russians,

Moriguchi, M.

see Kitamura, Y. et al.

Morisaki, H.

see Kitamura, Y. et al.

Morisaki, T.

see Kitamura, Y. et al.

Morton, N. E.

see Tapper, W. J. et al.

Morton. N. E.

see Zhang, W. et al.

Motta, F

see Martinetti, M. et al.

Mulder, C. J.

see Popat, S. et al.

Mustalahti, P.

see Karell, K. et al.

Native American. Y-chromosome biallelic polymorphisms and ... population structure, 255

Nijmegen Breakage Syndrome gene (NBS1) alterations and its protein (nibrin) expression in human ovarian tumours, 353

Nolte, I. M. & Te Meerman, G. J.

the probability that similar haplotypes are identical by descent, 195

North, B. V.

see Curtis, D. et al.

Nutland, S.

see Barratt. B. J. et al.

Ober, C.

see Bourgain, C. et al.

O'Donoghue, D.

see Popat, S. et al.

Ohashi, J. & Tokunaga, K.

the expected power of genome-wide linkage disequilibrium testing using single nucleotide polymorphism markers for detecting a low-frequency disease variant, 297

Ollikainen, V.

see Onkamo, P. et al.

Onkamo, P. Ollikainen, V. Sevon, P., Toivonen, H. T. T., Mannila, H. & Kere, J.

association analysis for quantitative traits by data mining: QHPM, 419

ornithine transcarbamylase. Haplotype analysis and phylogeny of ... polymorphisms, 379

ovarian tumours. Nijmegen Breakage Syndrome gene (NBS1) alterations and its protein (nibrin) expression in human, 353

Pang, H., Koda, Y., Soejima, M. and Kimura, H.

identification of human phosphoglucomutase 3 (PGM_3) as N-acetylglucosamine-phosphate mutase (AGM_1) , 139

Partanen, J.

see Karell, K. et al.

Pascutto, C.

see Martinetti, M. et al.

Payne, F

see Barratt, B. J. et al.

Pereira, L., Gusmao, L., Alves, C., Amorim, A. & Prata, M. J.

Bantu and European Y-lineages in Sub-Saharan Africa, 369

Pereira, L.

see Brehm, A. et al.

Petzl-Erler, M. L.

see Bortolini, M. C. et al.

phosphoglucomutase 3 (PGM₃). Identification of human .. as N-acetylglucosamine-phosphate (AGM_1) . 139

phylogeny. Haplotype analysis and ... of Ornithine Transcarbamylase polymorphisms, 379

Plisiecka-Halasa, J. Dansonka-Mieszkowska, A., Rembiszewska, A. Bidzinski, M., Steffen, J. & Kupryjanezyk, J.

Nijmegen Breakage Syndrome gene (NBS1) alterations and its protein (nibrin) expression in human ovarian tumours, 353

Poles. Mitochondrial DNA variability in ... and Russians. 261

Poli. F

see Martinetti, M. et al.

Popat, S., Hearle, N., Hogberg, L., Braegger, C.P. O'Donoghue, D., Falth-Magnusson, K., Holmes, G. K. T., Howdle, P. D., Jenkins, H., Johnston, S., Kennedy, N. P., Kumar, P. J., Logan, R. F.A. Marsh, M. N., Mulder, C. J., Torinsson Naluai, A., Sjoberg, K., Stenhammar, L., Walters, J. R. F., Jewell, D. P. and Houlston, R. S.

variation in the CTLA4/CD28 gene region confers an increased risk of coeliac disease, 125

Portugal. Distribution of HLA alleles in ... and Cabo Verde. Relationships with the slave trade route, 285 Prata, M. J.

see Brehm. A. et al.

Prata. M. J.

see Pereira. L. et al.

quantitative effects. Mapping ... of oligogenes by allelic association, 211

quantitative trait loci. Integrating sibship data for mapping. 167-180

quantitative trait loci. Linkage mapping of ... in humans: an overview. 431

quantitative traits. Association analysis for ... by data mining: QHPM, 419

Rance, H. E.

see Barratt, B. J. et al.

Recker, R.

see Deng, H. V. et al.

Reich, T.

see Ghosh. S. et al.

Rembiszewska, A.

see Plisiecka-Halasa. J. et al.

Rennart G

see Teare, M. D. et al.

Rinaldini, C.

see Martinetti, M. et al.

Rizzoli, L.

see Martinetti, M. et al.

Robertson, K.

see Talmud, P. J. et al.

see Chakrabarti, C. S. et al.

Ruiz-Linares, A.

see Bortolini, M. C. et al.

Ruiz-Ponte, C.

see Vega. A. et al.

Russians. Mitochondrial DNA variability in Poles and, 261

slave trade. Mitochondrial portrait of the Cabo Verde Archipelago: the Senegambian outpost of Atlantic.

slave trade route. Distribution of HLA alleles in Portugal and Cabo Verde. Relationships with the, 285

Salvaneschi, L.

see Martinetti, M. et al.

Salzano, F. M.

see Bortolini, M. C. et al.

Sengupta, N. K.

see Chakrabarti, C. S. et al.

Sevon. P.

see Onkamo, P. et al.

Sham, P. C.

see Curtis. D. et al.

sib pairs. Genetic dissection between coeliac disease and dermatitis herpetiformis in, 387

single nucleotide polymorphism markers. The expected power of genome-wide linkage disequilibrium testing using ... detecting a low-frequency disease variant. 297

Sjoberg, K.

see Popat. S. et al.

Soejima, M

see Popat. S. et al.

SNPs. Identification of two ... in the 5' flanking region of the ACP1 gene and evaluation of disequilibrium among polymorphic sites, 254

smoking. Interaction between...and the stromelysin-1 (MMP3) gene 5A/6A promoter polymorphism and risk of coronary heart disease in healthy men. 343

stromelysin-1 (MMP3). Interaction between smoking and the ... gene 5A/6A promoter polymorphism and risk of coronary heart disease in healthy men, 343

Spinola, H., Brehm, A., Williams, F., Jesus, J. & Middleton. D.

distribution of HLA alleles in Portugal and Cabo Verde. Relationships with the slave trade route, 285 Steffen, J.

see Plisiecka-Halasa, J. et al.

Stenhammar, L.

see Popat. S. et al.

Szalai, ZS.

see Karell, K. et al.

Tapper, W. J., Ke, X., Morton, N. E. & Collins, A. recombination, interference and sequence: comparison of chromosomes 21 and 22, 75

Talmud, P. J., Hawe, E., Robertson, K., Miller, G. J., Miller, N. E. and Humphries, S. E.

genetic and environmental determinants of plasma high density lipoprotein cholesterol and apolipoprotein AI concentrations in healthy middle-aged men. 111

TDT study. On calculating the power of a ... comparison of methods, 323

TDT-type. Robust ... candidate-gene association tests, 145

Teare, M. D., Dunning, A. M., Durocher, F., Rennart, G. & Easton, D. F.

sampling distribution of linkage disequilibrium measures. 223

Te Meerman, G. J.

see Nolte, I. M.

- Todd. J. A.
- see Barratt, B. J. et al.
- Toivonen, H. T.T
 - see Onkamo, P. et al.
- Tokunaga, K.
- see Ohashi, J.
- Tontoli. F.
 - see Faggioni, G. et al.
- Torres. M.
 - see Vega. A. et al.
- Torinsson Naluai, A.
- see Popat, S, et al.
- Toyama. K.
- see Kitamura, Y. et al.
- Tsuneto, L. T.
- see Bortolini, M. C. et al.
- Turner, S.
 - see Gorlova, O. et al.
- Vega. A., Torres, M., Martinez, J. I., Ruiz-Ponte, C., Barros, F. & Carracedo, A.
 - analysis of *BRCA1* and *BRCA2* in breast and breast/ ovarian cancer families shows population substructure in the Iberian peninsula, 29
- Vilarinho. L.
 - see Azevedo. L. et al.
- Walters, J. R. F.
- see Popat, S. et al.
- Wang, W.
- see Gorlova. O. et al.

- Williams, F.
 - see Spinola, H. et al.
- Wozniak, M.
 - see Malyarhcuk, B. A. et al.
- Xu. F. H.
 - see Deng. H. V. et al.
- Yakovenko, K
 - see Deng. H. V. et al.
- Y-chromosome biallelic polymorphisms and Native American population structure, 255
- Yip, S. P.
- sequence variation at the human ABO locus, 1
- Y-lineages, Bantu and European...in Sub-Saharan Africa, 369
- Zhang, W., Collins, A., Lonjou, C. & Morton, N. E.
- a linkage tournament: affection status, parametric analysis, multivariate traits, and enhancements to variance components and relative pairs, 87
- Zhang, W., Collins, A., Abecasis, G. R., Cardon, L. R.& Morton, N. E.
 - mapping quantitative effects of oligogenes by allelic association, 211
- Zheng, G., Friedlin, B. and Gastwirth, J. L.
- robust TDT-type candidate-gene association tests, 145
- Zhu, D. K.
- see Gorlova, O. et al.
- zinc finger proteins. Multifunctional...in development and disease. 331

